RODING

FINISH OPTIONS

LABEL BLACK

LABEL INOX

AVAILABLE DOOR WIDTHS

80N | 80 | 90N | 90 | 100[1] | CUSTOM

Doors can be supplied in any width and height.
More details can be found on page 48

EXTRA CHARGE

aluminium frame (only THERMO 78 and THERMO 64)
door width: 100
non-standard width in the range of 770–1210 mm (Sc on page 48)
taller doors up to 2480 mm (Hc on page 48)
doors shortened to a height of 1800 mm (Hc on page 48)
RC2 glazing unit
two-way glass
the specific list of options available for an extra charge can be found on page 51



RODING 1, Winchester, LABEL BLACK
PASA handle



RODING 1




RODING 2




RODING 3

[1] available for an extra charge

TECHNICAL SPECIFICATIONS





INDIVIDUAL SIZES OF DOORS WITH THE FRAME



AVAILABLE WIDTHS Sc [mm]

in the range from **770 mm** to **1210 mm** at 10-mm intervals [1)]



AVAILABLE HEIGHTS Hc [mm]

in the range from **1800 mm** to **2480 mm** at 10-mm intervals [1)]

[1)] Based on the standard Sc and Hc dimension for the particular technology and reduced or increased by 10 mm. The final dimension must be within the indicated width and height ranges.

BASIC DOOR SIZES

THERMO HOT 88

ALUMINIUM FRAME							
Width	Wall opening width	Wall opening height	Total frame width	Total frame height	Clear passage	Height inside the frame	Clear width inside the frame
	So	Ho	Sc	Hc	Sp	Hw	Sw
80N	957	2114	937	2104	756	2002	779
80	1007	2114	987	2104	806	2002	829
90N	1057	2114	1037	2104	856	2002	879
90	1107	2114	1087	2104	906	2002	929
100	1207	2114	1187	2104	1006	2002	1029

THERMO HOT 78

ALUMINIUM FRAME							
Width	Wall opening width	Wall opening height	Total frame width	Total frame height	Clear passage	Height inside the frame	Clear width inside the frame
	So	Ho	Sc	Hc	Sp	Hw	Sw
80N	947	2114	927	2104	756	2002	769
80	997	2114	977	2104	806	2002	819
90N	1047	2114	1027	2104	856	2002	869
90	1097	2114	1077	2104	906	2002	919
100	1197	2114	1177	2104	1006	2002	1019


DOOR SKIN


Our doors are made of steel protected with PVC skin. Pick the right colour to make sure your door becomes a noticeable feature of your household.


PVC SKIN

This product is dedicated to exterior doors. PVC skin is highly resistant to variable weather conditions, UV radiation and mechanical damage.
The texture is adapted to the decorative motif to create a product of high aesthetic qualities.

5 years' WARRANTY FOR THE SKIN


PLAIN ANTHRACITE


TEXTURED ANTHRACITE


BLACK


ANTHRACITE OAK


GREY

WHITE PINE


SWAMP OAK


MEDIUM BROWN OAK


HAZEL


GOLDEN OAK


WINCHESTER


MOUNTAIN PINE


NATURAL OAK


NATURAL HORIZONTAL OAK[1)]


RAW OAK

For technical reasons connected with the printing process, the actual colours may differ from those shown in the photographs. It is recommended to compare the colour with the template available at the seller's


FRAMES



BLACK GLAZING



DECORATIVE STAINLESS STEEL OR ALUMINIUM PANEL, PAINTED BLACK



DECORATIVE STAINLESS STEEL OR ALUMINIUM PANEL IN AN INOX COLOUR


GLAZING



BLACK (NON-TRANSPARENT)


GRAPHITE


BROWN REFLEX


GREY REFLEX


TWO-WAY GLASS (available for an extra charge)


FROSTED GLASS


TRANSPARENT GLASS

[1)] The NATURAL HORIZONTAL OAK skin is used only on the door. The frame is available with the NATURAL OAK skin.